

Product Catalogue 2024

About us

Intelligent, is being able to understand,
Understand the needs to find solutions,
Understand the value of pioneers
Understand what is different to bring something different.
Smart is feeling good when you want to feel good.
Smart is responsible, smart is low consumption,
smart is living with what you need to live,
Smart is in color,
Smart is to raise, lower, turn on, turn off, care, heat everything when life asks you to.
Smart is simple, smart is knowledge, smart is sound.
Smart is less and is more in the right measure.
Smart is the exact time.
Being smart is a responsibility

VTA+
Making the world smarter



VTA+ is a leading company in the design, development, and integration of technological products into Smart Home.

Our international experience allows us to work with distributors, retailers, wholesalers and integrators. We have more than 20 years of experience developing technological solutions that optimize price and quality. We have "all-in-one" technology, and friendly installation, that quickly integrates an easy-to-use mobile application into homes, spaces and companies.

Voice Assistant

Control the smart devices in your home with our easy-to-use app and make your life easier and more convenient.









WIFI



Easy to Setup



Scenarios and automations with other devices



Notifications on your mobile devices



Categories for the whole family



Support integrated in the APP (with setup videos)



APP multilanguage



Video security devices with cloud storage






Smart is download our APP.











Ol Lighting

OS Video Security

Alarms Sensors

26 Smart Locks

32 Power Outlets

36 controls

40 _{Pets}

44 Lifestyle

making the world smarter








Iluminación Lighting

WiFi LED Bulb

Alva





Pack of 1 VTA-84690 **Pack of 3** VTA-84878

Pack of 2 VTA-84695

Pack of 4 VTA-84803



Warm light 2700k

800

Lumens Luminosity



Socket E27



16 Millions color selection



Duo WiFi LED GU10

Reflect







Socket GU10



Lumens Luminosity



Warm light 2700k





16 Millions color selection





Works with voice assistant



Automations with other devices



WiFi LED Vintage Bulb

Globo



Warm light 2700k



Operating völtage



Diameter 12,5 cm.



Lumens Luminosity



Watts Energy





Cold light 5500k



VTA-84698

WiFi E27 Lamp Holder

Expre II



VTA-84631





Socket E27

WIFI Color Strip Lights

Denom



VTA-84882

Lumens 800



Millions color selection



Meters long



Adhesive tape



Cold light 6500k



Warm light 2700k





Works with voice assistant



Automations with other devices



Single Switch

Double Switch

Triple Switch

Touchless Swtich



VTA-84530



VTA-84534



VTA-84537



VTA-84549



Tempered glass panel



IR technology



Courtain Switch



VTA-84542



Dimmer Single Switch



VTA-84531



Fan Switch



VTA-84540



Scenes Switch



VTA-84548





Automations with other devices



Remote viewing in the APP



Works with voice assistant



Requires installation



Single Switch



VTA-84550



Double Switch

VTA-84554



Triple Switch

VTA-84557



Dimmer Single Switch



Illuminated touch buttons



WIFI 2.4 GHz



Control the intensity of illumination



Schedule power ON/OFF times



VTA-84551



Automations with other devices



Remote viewing in the APP



Works with voice assistant



Requires installation



Single Switch



Conexión WIFI



Schedule power ON/OFF times



VTA-84811




Double Switch



VTA-84812

Triple Switch



VTA-84813



Automations with other devices



Remote viewing in the APP



Works with voice assistant



Requires installation



Motion Sensor Single Switch



Distance of detection



Detection 180°



VTA-84822

Dimmer Double Switch



VTA-84816

Dimmer Single Switch



VTA-84815



Automations with other devices



Control the intensity of illumination



Works with voice assistant



Requires installation









Video Seguridad Video Security

Wifi Cam

Finite II



Video resolution



95° viewing angle



Notifications on mobile devices



VTA-84842



WiFi CamFinite



VTA-84840



Video resolution



85° viewing angle

Mini Smart Cam



VTA-84596



150° viewing angle



Privacy function



Battery rechargeable



Video resolution



Automations with other devices



Two-way audio



Color vision



Motion detection



Night vision



Micro SD port

WiFi Cam

Qubit



VTA-84841



Video resolution



Notifications on mobile devices



85° viewing angle

Battery Cam

Flint



VTA-84843



Battery rechargeable



Notifications on mobile devices



95° viewing angle

WiFi Cam System

Air Kit



VTA-84720



Rechargeable cameras



Wireless range up to 50m



120° viewing angle



Smart Cam

Nucleus



VTA-84593



Rotate screen



90° viewing angle



ONVIF protocol



Notifications on mobile devices



Automations with other devices



Two-way audio



Color vision



Motion detection



Night vision



Recording Cloud*



Notifications on mobile

Privacy Motion Cam

Primus



Smart motion tracking



95° viewing angle



Video resolution



Rotate screen



ONVIF protocol



Indoor use





Duo Motion Cam

Planet III



VTA-84713





Video resolution



ONVIF protocol



PTZ (pan, tilt)

Room Motion Cam

Meridian



VTA-84597



lullaby melodies



Videocall button



Room temperature sensor



Lamp LED



Automations with other devices



Two-way audio



Color vision



Motion detection



Night vision



Privacy function

Dual Cam

Eclipse



VTA-84707



Sound Detection



Video resolution

Motion Cam

Planet



VTA-84706



90° viewing angle



ONVIF protocol

Motion Cam

Comet



VTA-84712



8 LED lamp type lights



Video resolution

Motion Cam 2K

Ovo II



VTA-84709



Video resolution



85° viewing angle





Automations with other devices



Two-way audio



Motion detection



Night vision



Smart motion tracking

Motion Outdoor Cam

Twin



VTA-84702



<u>--</u>

Privacy function

ONVIF

protocol



Dual Full HD lens with enhanced focus.



Video resolution

WIFI Domo Outdoor Cam

Axon



VTA-84830



Resolution



100° viewing angle



Anti-damage anti-shock protection IK10

Outdoor Motion Camera

Motion Outdoor Cam

Square



VTA-84831



Smart motion tracking



107° viewing angle



Color night vision



Video resolution

Motion Outdoor Cam

Ratio



VTA-84701



109° viewing angle



Color night vision



Smart motion tracking



Video resolution



Color vision



 \leftrightarrow PTZ (pan, tilt)



Two-way audio



Motion detection



Night vision

Solar Motion Cam

Lum







PTZ (pan, tilt, digit zoom)



Works with solar panel or voltage adapter



500 Lumens Reflector lamp

Solar Motion Cam

Ellipse



VTA-84611

With solar panels or the power grid.



0

85° viewing angle

vision





Video resolution

Solar Floodlight and Camera

Lum Reflector



VTA-84731



72 LED Solar floodlight



Remote control



Battery rechargeable



100° viewing angle



Automations with other devices



Two-way audio



Color



Motion detection



Night vision



Outdoor use IP65

Wifi Cam System





VTA-84714



Video resolution



Screen 10,1"



Wireless range up to 150m*



Face detection

WiFi Cam System

Air Kit Solar



VTA-84721



2K

Solar panel Cable length: 3m



Wireless range up to 120m



Video resolution



Battery rechargeable

System Cameras

WiFi Cam System Quadrant



Includes pre-installed



4 wireless channels FHD 3Mpx



Wireless range up to 120m



VTA-84710



Automations with other devices



Two-way audio



Color vision



Motion detection




Night vision



Outdoor use IP65

Motion Cam System

Quartic





PTZ (pan, tilt, digit zoom 5x)

pre-installed

Includes



95° viewing angle



Wireless range up to 300m

VTA-84711

Video Doorbell With Monitor Bit II



120° viewing angle



Notifications on mobile devices



Screen 7" 1024*600p



Lock opening and closing



Built-in siren



山》))

6 melody tones adjustable sound







VTA-84790





Outdoor



Two-way audio



Motion detection



Video resolution



Night vision







Alarmas y sensores Alarms and Sensors

Open Alarm Sensor

Ding



VTA-84654



- Doors
 Windows
 - WindowsDrawers





Requires batteries



sound level

Wireless Doorbell

Midi



VTA-84575



Video Doorbell



Range 25m to the annunciator module



32 selectable tunes.



Wifi doorbell

Wifi Door Open Sensor

EQU



VTA-84649



Battery level indicator



Theft alert and security



Indicator of State

Wireless Doorbell

Digit



VTA-84451



58 different melodie



Panic button function



60~85dB Sound



Range without interference



Automations with other devices



Indoor use



adjustable levels

Duo Motion Sensor

Flux II



Pack of 1 VTA-84741

Pack of 2 VTA-84643



Requires batteries



Notifications on mobile devices



Detection angle



Range

Motion Sensor

Radian Wall



VTA-84465



Range



Detection angle



Outdoor use



Remote viewing in the APP

Motion Sensor Radian Drywall



VTA-84461



Range



Detection angle

Motion Sensor

Radian



VTA-84460



Range



Detection angle



Remote viewing in the APP



Automations with other devices



Indoor use

Human Presence Sensor

Dwarf



VTA-84462



Detection people and animals



Sensing distance



Detection angle



Proximity Sensor

Help Button Oval



VTA-84452



Theft alert and security



Asistant to children or older person



History time dates

Sensor Ring

Ratius



4 Volume levels adjustable



Detection distance



Connection USB



Languages doorbell



Detection angle



History time dates



Multiple melodies like annunciator and alarm



VTA-84644



Automations with other devices



Indoor use



Works with voice assistants



Temp Sensor

Clim



Requires batteries



Room temperature sensor



Measures humidity in the environment

VTA-84659

Temperature Sensor Hygro



VTA-84663



History time dates



Clock



Temperature in °C or °F



Percentage of humidity



Automations with other devices



Indoor use



Remote viewing in the APP

Smoke Alarm

Tide II



Requires batteries



Battery level indicator



Activation on detection of smoke



Notifications on mobile devices



Indicator of State



VTA-84592

Gas Alarm Grade II



Self-Test Button.



Natural Gas, Liquefied Gas, Propane, Ethane Detector



Low consumption of energy.







Automations with other devices



Indoor use



Remote viewing in the APP

WIFI & 4G Smart Alarm System

Pentagon



SMS and calls through 4G SIM card



doorbell



Detection angle

Packaging contents:
• 1 motion sensor.

- 1 aperture sensor.
- 2 remote controls.2 tag IC



VTA-84646

Alarm System

Rank



Alarm System

Polis



VTA-84653



Detection distance



SOS Panic button



Detection angle

- Packaging content
 Module with alarm
 PIR motion sensor
 2 opening and closing sensors
- Remote control



Wireless connection between sensors



Operation Temperature -10°C~ +60°C



Remote control

VTA-84677

- Packaging contents:
 Siren.
 Opening sensor.
 Remote control
 CR2032 battery (Included).



Alert alarm



Automations with other devices



Panic button function



Works with voice assistants







Cerraduras Smart Locks

Door Lock 3D Face Recognition

Hexa



Automatic closing



Battery rechargeable



Camera Hd video internal type



3D Facial Recognition



VTA-84311

Door Lock And Video Doorbell

Vertex II



VTA-84312



Hd video doorman camera



Door Lock

Xerus II



VTA-84313



AA battery

Ideal for doors with thickness between 35 -55 mm.



AA battery

5 Opening methods



APP



360° fingerprint recognition



Password



Safety key

IC Card



Anti-spyware function



Emergency power port

Security Doors Lock

Radix



VTA-84315



Compatible with multipin security doors



AA battery



Four safety latches

Door Lock

Vertex



VTA-84306



AA battery



latches

Door Lock

Vibex



VTA-84307

SLIM design

Versatile



AAA battery

Door Lock

Cortex



VTA-84302



Tow safety

Ideal for sliding and hinged doors



Remote control



AA battery



Anti-spyware function



Data with encrypted channels





Card IC



Safety key

360° fingerprint recognition



Pin the code



Multi-user



Compatible with left or right hand openings

Smart Door Lock

Axis



VTA-84300



IC Card



Fingerprint





Compatible with left or right hand openings

Smart Door Lock

Nexo



VTA-84301



Ideal for regular use doors



Remote opening request

APP application



Bell or ring function

Safety latch



Emergency power port



Event history opening and closing`



Blocking for failed opening attempts



Outdoor use

WiFi Garage Control

Yard



VTA-84335



Controller for motorized doors



Indoor use



Opening and closing sensor



Works with voice assistants

IC Cards

Nearby



VTA-84340



5 Pieces included



Compatible with IC technology locks and doors





High reading speed







Toma Corrientes Power Outlets

Smart Plug

Cube



VTA-84625



Smart Plug

DOT III



VTA-84571

Smart Plug

DOT



VTA-84624



Power 1800W Current 15A



Routine program



Power 1200W Current 10A



Power 1200W Current 10A



Automations with other devices



Set countdown



Set ON and OFF times



Compatible with voice assistants



Control remotely in the APP

WiFi Wall Receptacle Outlet

Link IOT



VTA-84626

USB

port





Requires installation

Smart Plug In-wall

Connect lot Black



VTA-84568



Power 1875W current 15A



Automations with other devices



Independent touch buttons



Illuminated touch buttons

Outdoor Smart Single Plug

Lever



Power 1875W Current 15A



Outdoor use Protection: IP44



Set countdown



Routine program



VTA-84678

Wifi Multi-outlet 7 In 1

Energy



VTA-84763

Outdoor Multi-outlet

Zivel





1 USB C port always ON



2 USB ports always ON





1.5 meter connection cable



3 independently controlled grounded WiFi outputs



Schedule On/Off



4 grounded voltage outputs



Outdoor use Protection: IP44



Automations with other devices



Compatible with voice assistants







Controles Controls

Universal Smart ControllerDAM II



Infrared frequency 38KHz



Control remotely in the APP



Radio Frequency Control



VTA-84664

Curtain Smart Electric Motor Polar



Room temperature sensor



Indicator of State



Compatible with up to 3.5" curtains



VTA-84746

Wifi Courtain Motor

Motion



Indoor use



Compatible with up to 3.5" curtains



VTA-84745



Automations with other devices



Compatible with voice assistants



Indoor use

Smart Bridge

Zigbee





RJ45 port



Zigbee connection



Create groups for simultaneous control

VTA-84581

Lighting Controller

Ray II



VTA-84576



Control remotely in the APP



3 Line lighting control

Smart Water Valve Step



VTA-84750



1/4" levers / wrenches



Programs the ON and OFF times




Automations with other devices



Compatible with voice assistants



Indoor use







Mascotas **Pets**

Pet Feeder

Active II



Capacity of 6L



Color vision



Set schedules and timers



way audio



Video resolution 480p



dry food 2 - 10mm.



85° viewing angle



2 Angle shapes



Pet Feeder

Active Lite



Capacity of 4L



Dry food 5 - 15mm.



Battery level indicator



Quiet



Intelligent operating cycle



VTA-84870



Automations with other devices



Power supply



Portion Dispending



small medium breeds

Pet Water Fountain (Dispenser)

H2O



Capacity of 2L



Filtration of Impurities



Keeps the fresh water



Automations with other devices



Quiet



UV light purifier



Water circulatory system



Filter interchangeable



Bite-proof cable



Intelligent operating cycle



VTA-84676







Estilo de vida Lifestyle

Body Scale

EXO



Fat-free weight



Body fat percentage



Visceral fat level



Calories



Muscle mass



Protein level



Bone mass





Body age



Measurement statistics



Trend visualization



Night vision display



Measurement unit Kg, Lb, Lb-St



VTA-84402

Cooler And Heater

Axial



Watts Energy



Closed spaces



Touch panel



Overheat protection



Set schedules and timers




Notifications on mobile devices

Automations

with other

devices

Easy to setúp



VTA-84899

Wifi Panel Heater

Convex



VTA-84900



Touch lock



Touch display



Overheat protection



Safety ON/OFF switch



Works with voice assistant



Set schedules and timers



Adjustable temperature 5 a 45°C



Automations with other devices




Wall installation



Remote control







Contact Us:

(2) +57 316 017 88 17

(C) +57 321 237 5691

www.vtaplus.co

(f) O D in @vtaplus

